

On the Question of the Kinetic Mechanism of Interaction SOV/20-123-5-25/50
Between Methane and Nitrogen Dioxide

This reaction also constitutes the decisive stage of the process as a whole. I. V. Patsevich confirmed these results by employing a different method. Thus the nitrification mechanism of methane can be interpreted as follows: A complicated introductory production of the alkyl radicals according to reaction (1) is followed by an interaction of these radicals with NO_2 . It apparently occurs with a low energy of activation according to the reactions (a) and (b), as NO_2 is a molecule similar to a radical. It can therefore be stated that the energy of activation 30 Kcal/Mol is the energy of activation of the introductory reaction. There are 4 figures, 1 table, and 17 references, 5 of which are Soviet.

ASSOCIATION: Institut nefti Akademii nauk SSSR (Petroleum Institute of the Academy of Sciences of the USSR)

SUBMITTED: July 18, 1958

Card 3/3

5(3), 5(4)

SOV/75-14-2-8/27

AUTHORS:

Ballod, A. P., Molchanova, S. I., Patsevich, I. V.,
Topchiyev, A. V., Shtern, V. Ya.

TITLE:

Polarographic Analysis of the Liquid Products of Nitration
of Alkanes With Nitrogen Dioxide (Polyarograficheskiy analiz
zhidkikh produktov nitrovaniya alkanov dnuokis'yu azota)

PERIODICAL:

Zhurnal analiticheskoy khimii, 1959, Vol 14, Nr 2, pp 188-197
(USSR)

ABSTRACT:

The gas-phase nitration of alkanes (C_1 to C_3) with nitrogen
dioxide yields a complex mixture of products the quantitative
analysis of which is very difficult. In the reaction mixture
nitroparaffins, alkyl nitrites, alkyl nitrates, aldehydes,
alcohols, alkanes, alkenes, carbon monoxide, carbon dioxide,
nitric oxides, and water were found. The nitric oxides,
carbon oxides, and hydrocarbons may be determined by the usual
chemical or chromatographical methods. For this purpose the
liquid reaction products (nitroparaffins, alkyl nitrites,
alkyl nitrates, aldehydes, and alcohols) must be separated
beforehand by dissolving them in water. In the present paper

Card 1/4

SOV/75-14-2-8/27

Polarographic Analysis of the Liquid Products of Nitration of Alkanes
With Nitrogen Dioxide

a quantitative polarographical method of analyzing liquid nitration products in the absence and in the presence of NO_2 is described. The method devised makes it possible to determine the sum of nitroparaffins, the sum of alkyl nitrites, and the determination of formaldehyde and of the sum of higher aldehydes in the absence and in the presence of NO_2 . The determination of formaldehyde in a 0.2 molar solution of LiOH is possible if the concentration of NO_2 is below 0.01 - 0.05 mol/l. If alkyl nitrites and alkyl nitrates are simultaneously present, only the total sum of these compounds can be determined. The authors obtained for the first time a polarogram of methyl nitrolic acid. In a 0.2 molar solution of LiOH the polarogram of the methyl nitrolic acid consists of two waves with half-wave potentials $\pi_{1/2} = -0.6 \text{ v}$ and $\pi_{1/2} = -1.1 \text{ v}$ with reference to a saturated calomel electrode. In a buffer solution of 0.2 molar NaOH

Card 2/4

SOV/75-14-2-8/27

Polarographic Analysis of the Liquid Products of Nitration of Alkanes
With Nitrogen Dioxide

and 0.2 molar NaH_2PO_4 (pH 5-7) only one wave is observed ($\pi_{1/2} = -0.25$ to -0.3 v). The polarographic methods of analysis devised are described in detail, and the polarograms are reproduced. The following tables are contained in the paper: 1) half-wave potentials of RNO_2 , RONO , RONO_2 , HCHO and CH_3CHO with reference to a saturated calomel electrode (for an acid, neutral, and alkaline medium); 2) change of the height of the reduction wave of formaldehyde with respect to time in the following solution: 0.006 molar at HCHO , 0.002 molar at CH_3NO_2 and 0.13 molar at LiOH ; 3) results of the polarographical analysis of artificial mixtures of CH_3CHO , HCHO , $\text{C}_2\text{H}_5\text{ONO}$ and CH_3NO_2 in the absence of NO_2 ; 4) influence exercised by time beginning with the preparation of the mixture on the height of the waves; 5) results of the analysis of artificial mixtures in the

Card 3/4

Polarographic Analysis of the Liquid Products of Nitration of Alkanes
With Nitrogen Dioxide

SOV/75-14-2-8/27

presence of NO_2 . There are 7 figures, 5 tables, and 9
references, 4 of which are Soviet.

ASSOCIATION: Institut neftekhimicheskogo sinteza AN SSSR, Moskva
(Institute of Petroleum-chemical Syntheses of the AS USSR,
Moscow)

SUBMITTED: July 23, 1958

Card 4/4

PHASE I BOOK EXPLOITATION

SOV/4679

Shtern, Vladimir Yakovlevich

Mekhanizm okisleniya uglevodorodov v gazovoy faze (Oxidation Mechanism of Hydrocarbons in the Gaseous Phase) Moscow, Izd-vo AN SSSR, 1960. 493 p. Errata slip inserted. 3,800 copies printed.

Sponsoring Agency: Akademiya nauk SSSR. Institut neftekhimicheskogo sinteza.
Resp. Ed.: A. V. Topchiyev, Academician; Ed. of Publishing House: V. V. Yastrebov;
Tech. Ed.: V. V. Bruzgul'.

PURPOSE: This book is intended for chemists, aspirants, and advanced students in universities and institutes of chemistry and technology.

COVERAGE: This is a critical review of experimental data on the general kinetics and chemism of oxidation processes studied by Soviet and other scientists in the last 60 years. The data are used for ascertaining the mechanism of oxidation of various hydrocarbons (paraffinic, olefinic, naphthenic, and aromatic) in the gas phase. The last chapter deals with the possibility of increasing the initial amount of hydrocarbon in the oxidation without effecting a change

Card 1/7

409114

S/204/62/002/001/007/007
1032/1232

11.1260
AUTHORS:

Topchiyev, A. V., Fedorova, T. V., Ballod, A. P., Shtern, V. Ya.

TITLE:

The mechanism of interaction of alkanes with nitrogen dioxide in the vapor phase.
1. Kinetics and mechanism of the reaction of CH_4 with NO_2

PERIODICAL: Neftekhimiya, v. 2, no. 1, 1962, 71-90

TEXT: The reaction between CH_4 and NO_2 in the vapor phase was studied under initial pressure ranging between 10 and 600 mm Hg in the temperature range between 400° and 600°C on mixtures of compositions $2\text{CH}_4 + \text{NO}_2$ and $4\text{CH}_4 + \text{NO}_2$. The kinetics of the reaction were determined by the initial conditions of pressure and temperature. Accordingly, three types of reaction were observed: 1) A slow reaction. 2) A "cold flame" reaction. 3) An explosive reaction. The composition of the end products varied according to the course of the reaction. The slow reaction of CH_4 with NO_2 was established to be a first order reaction with an activation energy of 33.5 ± 1.3 K cal/mole. The effects of the addition of nitrogen to the reaction mixture, of the variation of the surface to volume ratio of the reaction vessel, of the nature of the reaction vessel surface on the reaction velocity were studied. The addition of nitrogen oxide to the reaction mixture slowed down the initial velocity of NO_2 consumption, while the addition of oxygen in no way affected either the reaction kinetics or the composition of the end products. The effect of addition of CH_3ONO and

Card 1/2

TOPCHIEV, A.V.; BALLOD, A.P.; FEDOROVA, T.V.; SHTERN, V.Ya.

Mechanism of the vapor-phase interaction of alkanes with nitrogen dioxide. Part 2: Radical-chain flowsheet of the reaction of CH_4 with NO_2 . Neftekhimiia 2 no. 2:211-228 Mr-Apr '62. (MIRA 15:6)
(Paraffins) (Nitrogen oxides)

TOPCHIEV, A.V.; FEDOROVA, T.V.; BALLOD, A.P.; SHTERN, V.Ya.

Mechanism of the vapor phase interaction of alkanes with nitrogen dioxide. Part 1: Kinetics and mechanism of the reaction of CH_4 with NO_2 . Neftekhimia 2 no.1:71-90 Ja-F '62. (MIRA 15:5)

1. Institut neftekhimicheskogo sinteza AN SSSR.
(Methane) (Nitrogen oxides)

S/204/62/002/002/006/007
I060/I242

AUTHORS: Topchiyev, A.V., Ballod, A.P., Fedorova, T.V., and
Shtern, V.Ya.

TITLE: Mechanism of vapor-phase interaction of alkanes with
nitrogen dioxide. 2. Radical-chain reaction mechanism
of CH₄ with NO₂

PERIODICAL: Neftekhimiya, v.2, no.2, 1962, 211-228

TEXT: This article is a continuation of a paper published by
the same authors in the Neftekhimiya, v.2, no.1, 1962, 71. A low
probability exists for the reaction between methane and NO₂ by a mole-
cular mechanism. A radical-chain process is described for the reaction
of methane with NO₂. It is a branched chain reaction with relatively
weak chains and a high termination rate. Thus, when the termination

Card 1/2

S/020/62/147/006/027/034
B144/B101

AUTHORS: Topchiyev, A. V., Academician, Litmanovich, A. D.,
Shtern, V. Ya.

TITLE: Fractionation of copolymers. Effect of the composition
on phase interactions

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 147, no. 6, 1962,
1389-1391

TEXT: This is a theoretical study of the fractionation, through
temperature reduction, of a polydisperse, inhomogeneous, and linear
copolymer dissolved in an individual solvent. On the basis of Flory's
theory of polymer fractionation the following change in free energy is
obtained when dissolving this copolymer: $\Delta F_m = RT(n_1 \ln v_1 +$

$\sum_{r,\alpha} n_{r,\alpha} \ln v_{r,\alpha} + n_1 \sum_{r,\alpha} v_{r,\alpha} \chi_\alpha)$, where n_1 and v_1 are the number of
molecules, and the part by volume of the solvent, respectively, $n_{r,\alpha}$ and

Card 1/3

S/020/62/147/006/027/034
B144/B101

Fractionation of copolymers. ...

$v_{r,\alpha}$ are parameters equal for the component with the polymerization degree r and the composition α , α is the portion of A members in the copolymer AB, and χ_α is the parameter of interaction between solvent and the macromolecules of the composition α . $\ln(v'_{r,\alpha}/v_{r,\alpha}) = r[\bar{\sigma} + (v'_2 - v_2)\chi_\alpha]$,

where $v'_{r,\alpha}$ and $v_{r,\alpha}$ are the parts by volume of the component $[r,\alpha]$ in the deposit and in the solution, respectively, is obtained on the assumption that the solution separates into two phases (deposit and dilute solution) on temperature reduction. The distribution of this component depends, therefore, not only on the chain length but also on the composition. $\ln \varphi_{r,\alpha} = r(\sigma + K\alpha)$ was obtained from $\chi_\alpha = \chi_A \alpha + \chi_B (1 - \alpha)$; $\varphi_{r,\alpha} =$

$v'_{r,\alpha}/v_{r,\alpha}$; $\sigma = \bar{\sigma} + \chi_B(v'_2 - v_2)$; and $K = (\chi_A - \chi_B)(v'_2 - v_2)$, where χ_A and χ_B are the parameters of interaction between solvent and A and B respectively, and v'_2, v_2 are the total polymer contents in the deposit

Card 2/3

Fractionation of copolymers. ...

S/020/62/147/006/027/034
B144/B101

and solution respectively. This equation shows that the distribution of components depends on their composition at equal chain lengths. An increase in molecular weight increases this effect. The portions of the component $[r, \alpha]$ in the solution and in the deposit after phase separation, are obtained from $f_{r, \alpha} = 1/[1 + R \exp r(\sigma + K_{\alpha})]$ and $f'_{r, \alpha} = 1/[1 + (1/R) \exp - r(\sigma + K_{\alpha})]$, where $R = V'/V$, with V' and V being the volumes of concentrated and dilute phases in equilibrium.

ASSOCIATION: Institut neftekhimicheskogo sinteza Akademii nauk SSSR
(Institute of Petrochemical Synthesis of the Academy of Sciences USSR)

SUBMITTED: October 15, 1962

Card 3/3

LITMANOVICH, A.D.; SHTERN, V.Ya.; TOPCHIYEV, A.V. [deceased]

Precipitation of copolymers of methyl methacrylate with styrene.
Neftekhimiia 3 no.2:217-221 Mr-Apr '63. (MIRA 16:5)

1. Institut neftekhimicheskogo sinteza AN SSSR imeni A.V.Topchiyeva.
(Methacrylic acid) (Styrene) (Polymers)

L 13512-63 EPF(c)/EPR/EWP(j)/EWT(m)/BDS AFPTC/APGC/ASD Pr-4/Ps-4 18
Pc-4 RM/EW/WW/MN S/0204/63/003/003/0343/0347 11

ACCESSION NR: AP3002774

AUTHOR: Kudryavtseva, L. G.; Litmanovich, A. D.; Topchiyev, A. V.; Shtern, V. Ya.

TITLE: The fractionation of the methylmetacrylate copolymer with styrole

SOURCE: Neftekhimiya, v. 3, no. 3, 1963, 343-347

TOPIC TAGS: copolymer, fractionation methylmetacrylate, styrole, n-hexane, methanol, toluol, acetonitrile-toluol, n-hexane, styrole

ABSTRACT: The fractionation of methylmetacrylate copolymer with styrole in the two system solvent-precipitator which are essentially different in sensitivity to the composition of copolymer has been investigated. The two systems selected for the fractionation of copolymer of the composition Alpha = 0.23 where Alpha = molar composition of styrole links in the copolymer, were Eta-hexane plus metanol in the ratio 0.8 : 1 in toluol, and acetonitrile - toluol. The values of differential functions $w(\text{Eta})$ and integral function $I(\text{Eta})$ (where Eta is the characteristic viscosity) of the weight distribution of the original sample according to (Eta) are calculated from the fractionation data. The values $W(\text{Eta})$ and $I(\text{Eta})$ essentially depend on the character of

Card 1/2

L 13512-63

ACCESSION NR: AP3002774

the solvent - precipitator system. In the system Eta - hexane plus methanol - toluol a assymetric curve w (Eta) was obtained corresponding to the expected molecular weight distribution of the initial copolymer. The system acetone - toluol has a bimodal curve w (Eta). These results agree with the theoretical calculations unimodal. Orig. art. has: 2 tables and 3 graphs.

ASSOCIATION: Institut neftekhimicheskogo sinteza AN SSSR im. A. V. Topchiyeva
(Institute of Petrochemical Synthesis AN SSSR)

SUBMITTED: 25Jan63

DATE ACQ: 23Jul63

ENCL: 00

SUB CODE: CH

NO REF SOV: 002

OTHER: 012

Card 2/2

LITMANOVICH, A.D.; SHTERN, V.Ya.

Molecular-weight distributions of the fractions of a copolymer of methyl methacrylate with styrene. Dokl. AN SSSR 154 no.6:1429-1431 F '64.
(MIRA 17:2)

1. Institut neftkhimicheskogo sinteza im. A.V.Topchiyeva AN SSSR. Predstavleno akademikom N.N.Semenovym.

TOPCHIIYEV, Aleksandr Vasil'yevich, akademik [1907-1962]; KARGIN,
V.A., akademik, otv. red.; ~~SHTEBN, V.Ye.~~, doktor khim.
nauk, otv. red.; SEMENOV, N.N., akademik, red.;
ZHAVORONKOV, N.M., akademik, red.; NAMETKIN, N.S., red.;
SHUYKIN, N.I., red.; LIKHTENSHTeyN, Ye.S., kand. filolog.
nauk, red.; KUZNETSOV, V.I., red.

[Selected works; nitration] Izbrannye trudy; nitrovanie.
Moskva, Nauka, 1965. 427 p. (MIRA 18:7)

1. Chlen-korrespondent AN SSSR (for Nametkin, Shuykin).

TOPCHIEV, Aleksandr Vasil'yevich, akademik[deceased]; KARGIN,
V.A., akademik, otv. red.; ~~SHTERN, V.Ya., doktor khim.~~
nauk, otv. red.; SEMENOV, N.N., akademik, red.;
ZHAVORONKOV, N.M., akademik, red.; NAMETKIN, N.S., red.;
SHUYKIN, N.I., red.; LIKHTENSHTEYN, Ye.S., kand. filol.
nauk, red.; KUZNETSOV, V.I., red.

[Selected works] Izbrannyye trudy. Moskva, Nauka.[Book 1]
1965. 427 p. (MIRA 18:8)

1. Chlen-korrespondent AN SSSR (for Nametkin, Shuykin).

LITMANOVICH, A.D.; SHTERN, V.Ya.

Study of the polydispersity of copolymers by the fractionation method. Vysokom. soed. 7 no.8:1332-1334 Ag '65. (MIRA 18:9)

1. Institut neftekhimicheskogo sinteza AN SSSR.

GOL'DIN, S.A.; BALLOD, A.P.; SHTERN, V.Ya.

Spectroscopic study of the cold-flame glow appearing during
propane nitration by nitrogen dioxide. Dokl. AN SSSR 164
no.2:371-373 S '65. (MIRA 18:9)

1. Institut neftekhimicheskogo sinteza im. A.V. Topchiyeva
AN SSSR. Submitted February 22, 1965.

CHERN, Ya., Prof.

Pneumonia

Pneumonia in infants during first days and weeks of life. Fel'd. i akush. No. 1, 1953.

Monthly List of Russian Accessions, Library of Congress, June 1953. Uncl.

SHTERN, YA. V.

"Slow Oxidation of Hydrocarbons. Part II - Oxidation of Propane" from the book
Chain Reaction on the Oxidation of Hydrocarbons in a Gaseous Phase, publ. by
Inst. of Chem. Physics, AS USSR, 1955, p. 37.

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
PROCESSES AND PROPERTIES INDEX																										1ST AND 2ND ORDERS																									
<p>Distant action of metals on the structure and development of <i>Bacillus mycoides</i> Fl. E. A. Shtern and A. S. Kriviskii. <i>Compt. rend. acad. sci. U. R. S. S.</i> 2, 254-7 (in French 257-8)(1934).—Retardation of growth and marked changes in morphology occur when cultures are near (approx. 1 mm. from) sheets of Pb, Au, Pt or Mg; the extent of the action is proportional to the at. no. of the metal, i. e., Pb is more active than Pt; Au is more active than Mg. B. C. A.</p>																																																			
<p>ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>																																																			

The use of radio races of the *Azotobacter* in the production of bacterial fertilizers. E. A. Shtern, *Izv. Vsesoyuz. nauch. radiofiz. tsentr.*, 1965, No. 1, 22-24 (1965). N fixation by the radio races of *Azotobacter chroococcum* was investigated in Elizavetino and Minsk peat, which contained N 30.41 and 26.91 mg/g. of dry material; P 0.2 and 0.02%, resp. Exptly. obtained radio races retain their morphological and cultural properties in pure cultures and in nonsterile peat. An increased capacity for the N fixation (as compared with that of the initial race), is retained by the "radio-salts" after they have been passed through these peats. The development of various microbes growing on meat pepton agar is suppressed by the "radio-salts" and by the initial culture of the *Azotobacter*. The radio races are suitable for the production of fertilizers of high quality. The max. fixation of N in the case of the Elizavetino and Minsk (except with the G race) peats was observed on the 2nd day of the expts. (max. of the colonies) and the min. on the 15th day (min. colonies). In the case of the G race the least fixation of N was observed on the 2nd day (min. colonies) and the max. on the 8th day (max. colonies). About 45 references.

A. A. Podgorny

ASR SLA METALLURGICAL LITERATURE CLASSIFICATION

130 170 250 300

၁၂၃၄၅ ၆၇၈၉၁၀

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
PROCESSES AND PROPERTIES INDEX																																																			
<p>BC</p> <p style="text-align: right;">A-4</p> <p style="text-align: center;">Respiration of bacteria. L. A. IVANOV and E. A. STANIS (Compt. rend. Acad. Sci. U.R.S.S., 1959, 23, 508-509).—Apparatus (from ordinary laboratory equipment) is described for the measurement of CO₂ output and O₂ uptake of cultures of, e.g., <i>Aerobacter</i>. W. F. F.</p>																																																			
ASAC-SLA METALLURGICAL LITERATURE CLASSIFICATION																																																			
FROM SYMBOL																										FROM SYMBOL																									
SYMBOL																										SYMBOL																									
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z																										A B C D E F G H I J K L M N O P Q R S T U V W X Y Z																									

SHTERN, Ye. A.

"Methodics of Breathing Determinations in Microbes," Dokl. AN SSSR, 23, No.5, 1939

Lab. Botany and Microbiology, Leningrad State Roentgeno-Radiological and Oncological Inst.

<p>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100</p>																									
<p>101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200</p>																									
<p>201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300</p>																									
<p>301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400</p>																									
<p>401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500</p>																									
<p>501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600</p>																									
<p>601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700</p>																									
<p>701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800</p>																									
<p>801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900</p>																									
<p>901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000</p>																									

CA

11C

Serological properties of *azotobacter*. R. A. Shtern. *Mikrobiologiya* 17, 415-51(1948). Test cultures of *A. chroococcum* (I), *A. agile* (II) and *A. vinelandii* (III) all had a thermostable antigen. The most complex receptor system was observed in I, which apparently has a capsular antigen (much weakened in cultures 2 months old). Serological assays showed no significant difference between I and II, but antigen activity in III is much lower than in I or II.

Julian F. Smith

Dept. Microbiol., Inst. Exptl. Med., Leningrad

ASH-51A METALLURGICAL LITERATURE CLASSIFICATION

SHTERN, E.A.

Serological properties of nodule bacteria. I. B. A. Shtern (Inst. Exptl. Med., Acad. Med. Sci. U.S.S.R., Leningrad). *Mikrobiologiya* 22, 423-30 (1953).--Nodule bacteria from alfalfa, clover, sweet clover, and vetch roots differ from those of horse bean, bean, and pea roots as to thermolabile-thermostable complexes, but both groups generally have thermostable antigens. Some of their agglutinins have been characterized in serums from rabbits immunized with living bacteria. Julian P. Smith

SHTERN, Ye.A

Serological properties of nodule bacteria. II. Mikrobiologiya 32 no.6:
656-662 N-D '53. (MLRA 6:12)

1. Institut eksperimental'noy meditsiny Akademii meditsinskikh nauk SSSR,
Leningrad.

(Microorganisms, Nitrogen-fixing)

SHTERN, Ye.A.

Study of filtrable forms of hemolytic streptococcus. Mikrobiologiya
23 no.2:147-152 Mr-Apr '54. (MLRA 7:4)

1. Institut eksperimental'noy meditsiny Akademii meditsinskikh nauk
SSSR, Leningrad. (Streptococcus)

Shtern, E.A.

Some characteristics of respiration, protein synthesis and phosphorus fixation in hemolytic streptococcal strains regenerated from broth culture filtrates. G. B. Savel'vol', A. P. Konikov, and E. A. Shtern (Inst. Baptil. Med., Acad. Med. Sci. U.S.S.R. Leningrad); *Mikrobiologiya* 24, 400-7(1955).—Three strains of streptococci from osteomyelitis patients yielded 18 filterable variants from broth cultures. These were tested for pH, N assimilation, O consumed, and fixation of P^{32} ; the chief differences were related to the fact that 10 of the variants were nonhemolytic although the 3 parent strains were hemolytic. The nonhemolytic forms intensified respiration (values for O consumed were 2-4 times greater than in hemolytic forms), yet were much less active than the hemolytic forms in protein synthesis and P fixation. The high rates of O consumption led to alkalization (pH 4.95-6.5 in hemolytic, 6.3-8.2 in nonhemolytic forms). The deficit or complete absence of protein synthesis did not prevent cell division in the cultures. The loss in synthetic activity, in spite of intensified respiration, signifies slower cell growth, lowered proliferation rate, and a loss in production of specific proteins, e.g. antigens and hemolysins, in the nonhemolytic forms.

Julian F. Smith

TVERDYNIN, M.S.; SHTERN, Ye.A.

Leiomyosarcoma of the kidneys. Urologiia 25 no. 4:55-56 J1-Ag '60.
(MIRA 14:1)

(KIDNEYS--TUMORS)

Shtern, E. N.

Causes for high dielectric losses in fresh transformer oil
R. A. Lipshteln and R. N. Shtern. *Khim. i Tekhnol.*
Topina 1956, No. 7, 64-65. The dielectric loss of fresh
transformer oil depends on the presence of trace amts. of
metallo-org. compds. and on cleanliness of the condenser.
Use of soft water, or better distd. water for washing during
the refining operation and good settling of the acid treated
oil, improves the dielec. properties of the oil. M. C.

LIPSHTEYN, R.A.; ~~SHTERN, Ye.N.~~

Water solubility in insulating oils. Khim.i tekhn.toyl. no.11:
46-54 N '56. (MIRA 9:11)

1.Vsesoyuzny nauchno-issledovatel'skiy institut neftyanoy pro-
myshlennosti.
(Water) (Insulating oils)

AUTHORS: Lipshteyn, R. A. and Shtern, Ye. N. SOV/65-58-9-6/16

TITLE: Influence of Humidity on the Dielectric Losses in Liquid Dielectrics (Vliyaniye vlagi na dielektricheskiye poteri v zhidkikh dielektrikakh)

PERIODICAL: Khimiya i Tekhnologiya Topliv i Masel, 1958, Nr 9, pp 29-34 (USSR)

ABSTRACT: The electric strength and the loss factor of liquid dielectrics is influenced to a considerable extent by humidity. Many published results of previous investigations are only of a qualitative character. In this paper results are given of investigations of the influence of the concentration and the state of the water on the loss factor of transformer oil with and without the presence of polar substances. The problem of solubility of humidity in oils and the relations governing this phenomenon were dealt with in an earlier paper of the authors (Ref 4). The loss factor of the oil was determined by means of a bridge using a 50 c.p.s. current supply and a field strength of 1 kV/mm under conditions specified by standard specifications using plane electrodes (with quartz plates) which were placed into a hermetically

Card 1/4

SOV/65-58-9-6/16

Influence of Humidity on the Dielectric Losses in Liquid
Dielectrics

sealed metallic housing. The desired air humidity inside that housing was ensured by means of an aqueous solution of NaOH of a definite concentration. The housing was placed into an air thermostat maintaining the necessary temperature, which was measured in the oil by means of a thermocouple. All the leads were inside quartz tubes. The oil samples were prepared by filtering under vacuum through a Nr 4 glass Shott filter and placing them in a desiccator for two days at room temperature. Thus, the humidity content of the air was 0.000% and its electric strength was above 240 kV/cm. The sample was kept in the housing at zero or high air humidity for 20 hours at room temperature and for a further 5 hours at a higher temperature. After determining the loss factor, the electrode was quickly removed and the water content of the oil determined by the calcium hydride method. The results are entered in Table 1. Within the limits of experimental error, even large amounts of dissolved water did not bring about an increase in the dielectric losses of the oil at elevated temperatures; at 70°C the tg δ of the water-free samples

Card 2/4

SOV/65-58-9-6/16

Influence of Humidity on the Dielectric Losses in Liquid Dielectrics

and samples containing about 0.04% of water equalled respectively 1.40 and 1.41%. In oil which was preliminarily dried no change was observed in the $\tan \delta$ value after exposure to air of a high relative humidity (up to 90%), since the water absorbed from the air forms with the oil a true solution, Figs. 1 and 2. It was found that the equilibrium of water in the oil at a given temperature depends on the corresponding air humidity. The authors found that the dielectric losses in the oil caused by the presence of water do not depend on the water content but on its condition. Water forming a true solution does not affect substantially the loss factor but if it is not dissolved in the oil it causes a sharp increase in the dielectric losses. For a given oil at a given temperature and air humidity, the loss factor increases sharply above a certain limit concentration of the water. The dielectric losses in the oil can be explained by cataphoretic conductivity rather than by ionic conductivity. Additional experiments were carried out to confirm this hypothesis; the desiccated oil was placed for two days into a hermetically sealed container inside which the air humidity equalled 90%.

Card 3/4

SOV/65-68-9-6/16

Influence of Humidity on the Dielectric Losses in Liquid Dielectrics

During this time the value of the loss factor did not change. After unsealing this container, the air humidity dropped rapidly from 90 to 40% and there was a slight increase in the value of $\text{tg } \delta$. The measured values of $\text{tg } \delta$ as a function of the content of humidity for oils and polar substances as a function of the water content are entered in Table 2; in oils containing such polar substances as acetic acid, butyric acid, lead and barium naphthenates, $\text{tg } \delta$ changes only very slightly except for oils containing 0.5% sodium naphthenate for which it increases from 0.64 to 7.00% after 4 days. According to earlier work (Ref 4) some polar substances impart the property of self-emulsification to the oil. The authors conclude that with polar substances present, the water can bring about an increase in the $\text{tg } \delta$ value only if it is not dissolved in oil, i.e. in the case of "self-emulsification". There are 2 tables, 2 figures and 4 Soviet references.

ASSOCIATION: Vsesoyuznyy teplotekhnicheskiy inst. (All-Union Power Engineering Institute)

Card 4/4

1. Liquids--Dielectric properties 2. Dielectric properties--Moisture factors

LIPSHTEYN, R.A., SHTERN, Ye.N.

Causes of dielectric losses in transformer oil at a frequency of
50 cps. Inzh.-fiz.zhur. no.2:101-104 F '60. (MIRA 13:7)

1. Vsesoyuznyy teplotekhnicheskiy nauchno-issledovatel'skiy
institut im. F.E. Dzerzhinskogo, Moskva.
(Insulating oils) (Dielectrics)

LIPSHTEYN, R.A., kand.tekhn.nauk; SHTERN, Ye.N., inzh.

Gas-proof features of transformer oils in an electric field.
Vest. elektroprom. 34 no.2:40-45 F '63. (MIRA 16:2)
(Electric fields) (Insulating oils)

LIPSHEYN, R.A., kand.tekhn.nauk; SHTERN, Ye.N., kand.tekhn.nauk

Methods for determining the tendency of oils to increase the tangent
of the dielectric losses during its aging. Elektrotehnika 34 no.12:
19-22 D '63. (MIRA 17:1)

LIPSHTEYN, R.A.; MIKHEL'SON, A. Ya.; SHTERN, Ye.N.

Classification of antioxidant additives to lubricants based
on the nature of their action. Khim. i tekh. topl. i masei
9 no.6:48-52 Je'64 (MIRA 17:7)

1. Vsesoyuznyy ordena Trudovogo Krasnogo Znameni toplotekhnicheskiiy institut imeni Dzerzhinskogo.

LIFONCHIK, G.A., kand.tekhn.nauki; SHTERN, Ye.N., kand.tekhn.nauki

Development of breakdown locations in liquid dielectrics with
engineering applications. Elektrotehnika 35 no.3:15-18 Pr
'64. (MIRA 17:5)

LIPSHTEYN, R.A., kand. tekhn. nauk; SHTERN, Ye.N., kand. tekhn. nauk

Dependence of gas resistant of s on the group structure composition and physical and chemical indices. Elektrotehnika 35
no.6:62-64 Je '64. (MIRA 17:8)

PA 38/49T54

SHTERN, YE. P.

USSR/Engineering
Turbine
Bearing

Jan 49

"Operation Tests of Guide Bearings for Hydro-
turbines Made of Wood Plastics," Ye. P.
Shtern, Engr, 3 pp

"Gidrotekhn Stroi" No 1

38/49T54

USSR/Engineering (Contd)

Jan 49

Three-year exploitation of turbine bearings
made of "lignofol" using water lubrication
has proven that they can be used in hydro-
turbines. Lignofol is produced from plywood
sheets, treated with phenolformaldehyde tar,
and compressed under high pressure.

38/49T54

SHTEBN, Ye.P., inzhener.

Experience in adjusting the work of hydro power units by compensating operation. Gidr.stroi. 23 no.7:26-29 '54. (MLRA 7:11)
(Hydroelectric power stations)

KIRPICHENKO, M.Ya.; MIKHAYEV, V.P.; SHTERN, Ye.P.

Fight against dreissena polymorpha pallas in hydroelectric power
stations. Elek. sta. 33 no.5:30-31 My '62. (MIRA 15:7)
(Hydroelectric Power Stations—Water supply)
(Lamellibranchiata)

SHTERN, Ye.P., inzh.

Increase in the efficiency in the use of the equipment of a
hydroelectric power station. Elek. sta. 33 no.8:33-37 Ag
'62. (MIRA 15:8)

(Volga Hydroelectric Power Station (Lenin))

SHTERN, Ye.P., inzh.

Experience in the operation of the turbine equipment in the
V.I. Lenin Volga Hydroelectric Power Station. Energomashinostroenie
9 no.10:24-27 0 '63. (MIRA 16:10)

(N) L 8330-66 EWT(m)/EWP(j)/EWP(b)/T/EWP(c) RM, NW, #B, 02
 ACC NR: AP5025766
 SOURCE CODE: UR/0286/65/000/018/0154/0154
 AUTHORS: Trifel', M. S.; Khandarova, A. G.; Mekhmandarova, S. A.; Shtern, Ye. P.
 ORG: none
 TITLE: Method for protecting parts of hydromachinery, for example, blades of ship propellers or hydroturbine wheels, from corrosion-cavitation damage. Class 48, No. 164181
 SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 18, 1965, 154
 TOPIC TAGS: hydromachinery, corrosion protection, cavitation damage, corrosion damage, MARINE EQUIPMENT, MARINE ENGINEERING
 ABSTRACT: This Author Certificate presents a method for protecting parts of hydromachinery, e.g., blades of ship propellers or hydroturbine wheels, from corrosion-cavitation damage by protective painting or cathodic polarization. To increase corrosion-cavitation resistance, protection is provided by simultaneous use of cathodic polarization from a constant voltage source and by protective painting of steel parts with zinc paint, for example.
 SUB CODE: 13/ SUBM DATE: 02Nov63
 JW
 Card 1/1
 UDC: 620.197.5/.6

TER-GAZARYAN, G.N., doktor tekhn. nauk; SHTERN, Ye.P., inzh.

Operation of a large hydrogenerator in partial phase mode.
Elek. sta. 36 no.12:37-39 D '65. (MIRA 18:12)

SHCHERN, Yu. V., inzhener.

Work practice of the Krasnoye Selo Land Improvement Machinery Station.
Gidr. i mel. 8 no.11:15-24 N '56. (MIRA 10:4)
(Leningrad Province--Reclamation of land)

SETERNASHIS, S.Z., (Leninakan Armyanskoy SSR).

Clinical variants of hypertension following closed cerebrocranial
trauma. Terap.arkh. 30 no.9:24-28 S'58 (MIRA 11:10)
(BRAIN, wds. & inj.
closed inj., post-traum. hypertension (Rus))
(HYPERTENSION, etiol. & pathogen.
brain closed inj. (Rus))

SHTERNBERG, A. A.

USSR/Physics Crystals

Dec 48

"The Actual Construction of Rochelle Salt Crystals," M. V. Klassen-Neklyudova,
M. A. Chernysheva, A. A. Shternberg, Inst of Cryst, Acad Sci USSR, 3 1/3 pp

"Dok Ak Nauk SSSR" Vol LXIII, No 5

In research on mechanical properties of Rochelle salt crystals, definite anisotropy
of elastic properties and complete absence of anisotropic stability were observed.
Submitted by Acad A. F. Ioffe 7 Oct 48.

FA 55/49T86

SHTERNBERG, A.A

Primer (or ground) sprays: 1. Potassium and
ammonium. 100-150 g/l. Sol. 25-1965. 10-
20% ethanol. 10-15% ethanol. 10-15% ethanol.
2. Potassium and ammonium. 100-150 g/l. Sol. 25-1965. 10-
20% ethanol. 10-15% ethanol. 10-15% ethanol.

Wm. May

SHTERNBERG, A. A.

3

Growing crystals. P. G. Pozdnyakov and A. A. Shternberg. U.S.S.R. 101,179, Oct. 26, 1959. In producing unilaterally growing crystals and particularly crystals of ethylenediamine formate, laminar seeds are placed in the pockets of the crystal carrier in such manner that only the intersections of the rapidly growing facets are protruding from the pocket. Used as seed are laminae cut parallel or almost parallel to the plane bisecting the crystal longitudinally.

OK
MT

SHTERNBERG, A.A.

USSR/Geology

Card 1/1 Pub. 22 - 33/47

Authors : Shternberg, A. A.

Title : ~~Lower Jurassic deposits of Dagestan~~
Lower Jurassic deposits of Dagestan

Periodical : Dok. AN SSSR 100/6, 1155-1157, Feb 21, 1955

Abstract : Geological-lithological data are presented regarding the rhythmicity in the formation of Lower Jurassic strata in Dagestan. Illustration.

Institution :

Presented by: Academician D. V. Nalivkin, November 2, 1954

TATARSKIY, V.B.; FRANK-KAMENETSKIY, V.A.; BURAKOVA, T.N.; NARDOV, V.V.;
PETROV, T.G.; KONDRAT'YEVA, V.V.; KAMENTSEV, I.Ye.; CHERNYSHEVA,
V.F.; ALEKSEYEVA, N.P.; ARTSYBASHEVA, T.F.; BARANOVSKAYA, N.I.;
BUSSEN, I.V.; VEREMETSKO, I.A.; GNEVUSHEV, M.A.; GOYKO, Ye.A.;
KOMKOV, A.I.; KOTOVICH, V.A.; LITVINSKAYA, G.P.; MIKHEYEVA, I.V.;
MOKIYEVSKIY, V.A.; PETROVA, L.V.; POPOV, G.M.; SAFRONOVA, G.P.;
SOBOL'VA, V.V.; STULOV, N.N.; TUGARINOVA, V.G.; SHAFRANOVSKIY, I.I.;
SHTERNBERG, A.A.; YANULOV, K.P.

O.M. Ansheles; obituary. Vest. IGU 12 no.18:152-154 '57.(MIRA 11:3)
(Ansheles, Osip Markovich, 1885-1957)

24(2)

PLANE I BOOK EXPLORATION

37/2353

Amendiyev, I. M. Institut Kristallografi
 Most Kristallov, tom. 2 (Growth of Crystals, Vol. 2) Moscow, 1972. 824 p.
 Errata ally inserted. 2,000 copies printed.
 Mosp. Eds.: A. V. Shubnikov, Academician, and N. S. Shafal', Doctor of
 Geological and Mineralogical Sciences; Ed. of Publishing House:
 E. S. Akhmedov; Subj. Ed.: T. V. Polyakova.
 REMARKS: This book is intended for scientists and researchers engaged in
 crystallography and in growing industrial monocrytals.
 COMMENTS: This is the second of two volumes on crystal growth. The first
 volume contained reports delivered at the First Congress on Crystal Growth
 of the USSR. The present volume also contains an extensive study of Soviet
 research in crystallography in the period following the development of Soviet
 research in crystallography in the period following the first congress.
 The studies contain some essentially new results obtained by Soviet scientists.
 The editors express the hope that these studies will unite the efforts of Sov-
 iet scientists engaged in studying the process of crystal growth and in grow-
 ing industrially valuable monocrytals. No personalities are mentioned.
 References are given at the end of each article.

Trifonov, L. I., L. G. Chantova, and A. A. Shcherberg. Growth Rate of Synthetic Quartz Crystals	61
Rumyantsev, I. M. Crystallization of K ₂ on a Motive and Macrocrite K ₂ SO ₄	63
Belyutina, A. V. Possibility of Determining Surface Energy of Crystals from Equilibrium States	70
II. GROWING OF MONOCRYSTALS (APPARATUS, METHODS, SURVEILLANCE WORK)	
Radtsev, M. A. Growing of Calcite and of Other Carbonates	73
Radtsev, M. A., and B. S. Akhmedov. Growing of Anthracene Monocrytals	76
Pogoda, A. A. Orientation of Monocrytals of Certain Ferrites	84
Timofeyev, I. A., and A. V. Zaleskiy. Crystallization of Ferrites From Liquid and Gas Phases	88
Timofeyev, I. A. Studying the Process of Barium Titanate Crystal Growth in a Poured Solution With Barium Chloride	95
Belikov, L. M., G. S. Balitskiy, and G. F. Dobryninskiy. Apparatus for Growing Organic Crystals from a Melt	102
Belikov, L. M. New Type of Pistonless Compressor for the Production of Extremely High Gas Pressures	105
Chernikov, A. A. Growing of a Monophase Crystal and Its Morpho- logical Symmetry	109
Shcherberg, A. A., and I. V. Shcherberg. Synthesis of Extremum Salts of Calcium Fluoride and Barium Fluoride for Growing Optical Monocrytals	115
Koborish, Ya. Yu. Effect of Cooling Conditions on the Creation of Dislocations on the Creation of Dislocations in Germanium Crystals	120
Mat. I. S., and L. A. Verbitskiy. Oxidation-aluminum sulfide-haloborate (Synthesis, Growing of Monocrytals, and some Properties of the Monocrytals)	126
Koborish, E. E. Crystallization of Germanium on Silicon and Silicon on Ger- manium	132
Pogoda, B. E. Growing and Certain Uses of Corundum Crystals	140
III. SURVEYS AND DISCUSSION ARTICLES	
Koborish, Ya. Yu. Dislocation in Germanium Crystals (Survey)	211
Shcherberg, A. A. Main Trends in the Study of Mixed Systems: Inorganic Crystals - Organic Additives (Survey)	223
AVAILABLE: Library of Congress	25

SHCHERBERG, A. A.

TSINOBER, L. I.; CHENTSOVA, L. G.; SHTERNBERG, A. A.

Green and brown coloration of synthetic quartz crystals. Rost
krist. 2:61-67 '59. (MIRA 13:8)
(Quartz crystals)

S/081/62/000/009/005/075
B177/E138

24,7000
AUTHOR:

Shternberg, A. A.

TITLE:

Growing single crystals from melts by controlled heat elimination

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 9, 1962, 39-40,
abstract 9E238 (Tr. Vses. n.-i. in-ta p'yestoptich. mineral'n.
syr'ya, v. 3, no. 2, 1960, 89-93)

TEXT: The crystallization of a single-component system, proceeding at a constant temperature and accompanied by the evolution of heat to the ambient medium (heat of crystallization) and a change in volume, is examined. The conclusion is drawn that it is possible to control the growth of crystals from a melt by regulating the heat transfer from the system crystal-melt to the ambient medium at constant temperature and pressure, or by varying the pressure but eliminating the heat transfer to the ambient medium. Descriptions are given of apparatus for growing mica crystals in an H₂ atmosphere, and for growing crystals of Rochelle salt. Emphasis is laid on the need for taking into account the evolution

Card 1/2.

SHTERNBERG, Aleksey Aleksandrovich; MAKSIMOVA, V.V., red.; KARPOVA,
T.V., tekhn.red.

[Crystals in nature and technology; teacher's manual]
Kristally v prirode i tekhnike; posobie dlia uchitelei.
Moskva, Gos.uchebno-pedagog.izd-vo M-va prosv.RSFSR, 1961.
85 p. (MIRA 15:2)
(Crystallography)

S/081/62/000/016/003/043
B168/B186

AUTHOR: Shternberg, A. A.

TITLE: An experiment in the growing of crystals by elimination of heat

PERIODICAL: Referativnyy zhurnal. Khimiya, no. 16, 1962, 30, abstract
16B179 (In collection: Rost kristallov. v. 3. M., AN SSSR,
1961, 244-246. Diskus., 501-502)

TEXT: Further experiments were made on the growing of crystals with regulated elimination of heat from the fusion. It is stressed that since the temperature remains constant during crystallization of the fusion the process of crystal growth can thereby be controlled. The crucible temperature is maintained at the required level by the crystallizing process itself. If the heat of crystallization of a given salt and the total thermal conductivity of the heat insulation are known, it is possible to calculate the corresponding temperature difference between crucible and furnace to ensure that the crystal will grow at a specified velocity. Photographs are given of mica and saltpeter crystals (the latter weighing 3.3 kg) grown by the proposed method. It is noted that the method described is also

Card 1/2

An experiment in the growing...

S/081/62/000/016/003/043
B168/B186

very effective in the growing of crystals of readily soluble salts whose solubility depends largely on temperature. [Abstracter's note: Complete translation.]

✓

Card 2/2

S/564/61/003/000/006/029
D258/D304

AUTHORS: Nepomnyashchaya, V. N., Shternberg, A. A., and
Garvilova, I. V.

TITLE: A laboratory method for growing large, faceted crystals
and oriented blocks of lithium sulphate

SOURCE: Akademiya nauk SSSR. Institut kristallografii. Rost
kristallov, v. 3, 1961, 290-295

TEXT: The authors' aim was to produce crystals of $\text{Li}_2\text{SO}_4 \cdot \text{H}_2\text{O}$ to be
used in manufacturing piezoelectrical transformers, as indicated by P. G.
Poldnyakov (Ref. 1: Kristallografiya, 1, 2, 228, 1956). Their work con-
firms the difficulties encountered in producing crystals sufficiently
large and homogeneous for that purpose; they found, however, that ori-
ented blocks, grown in forms, are easier to obtain. The production of
both crystals and blocks is described. (a) Crystals: A solution of
 Li_2SO_4 (C.P. or P. A. grade; $d = 1.213 - 1.214$ at room temperature) was

Card 1/3

S/564/61/003/000/006/029
D258/D304

A laboratory method...

used, and 0.5 to 1.5 g/lit of H_2SO_4 were added to yield pH 4-5. The

crystal volume after n days, V_n , was found to be: $V_n = kn \frac{b^2}{2} \left(\frac{-nb}{10} + C \right)$,
where C is the initial length of the seed (in cm); b —the daily increase
in width (in cm); k was 0.75 - 0.85. The weight of the individual
crystal was $G_n = V_n d$, and the volume of condensate removed in n days

was $Q_n = \frac{G_n \cdot 1000}{S}$, where S is the solubility of Li_2SO_4 (in g/lit) at
the temperature of crystallization. Imperfect or parasitic crystals were
trapped by the hole of the false bottom and did not interfere with the
principal crystals. A fresh solution was continuously added at the rate
at which condensate was removed. The growth proceeded at the rate of
 $b = 3$ mm. Periods of 40 to 60 days were necessary to obtain crystals of
up to 400 g. Many crystals were lost due to cracks formed during the
process or while being removed from the support. Added H_2SO_4 enhanced
growth along the "z" axis (identical with the axis of the branch), while

Card 2/3

S/070/62/007/001/012/022
E073/E335

AUTHOR: Shternberg, A.A.

TITLE: On the relation between crack formation and the morphology of crystals with admixtures (heterometry)

PERIODICAL: Kristallografiya, v.7, no.1, 1962, 114-120 + 2 plates

TEXT: Nonuniform zone and sector penetration of admixtures into crystals and the resulting changes in the lattice parameters lead to a nonuniformity of the individual parts of the crystal. This nonuniformity, designated by V. A. Frank-Kamenetskiy as heterometry, produces in the crystals stresses which frequently result in crack formation. The crack formation caused by heterometry may be due to slight changes in composition and lattice parameter that are difficult to detect even by accurate methods of chemical and X-ray structural analysis. Heterometry is particularly pronounced in crystals which are grown slowly and have a perfect internal structure. Although microcrack formation due to heterometry does not occur frequently in artificially produced, easily soluble crystals, the phenomenon does arise in various forms during the growth of Seignette salt crystals. Some phenomena

Card 1/2

S/070/62/007/002/022/022
E132/E160

24,7100

AUTHORS: Shternberg, A.A., Kuz'mina, I.P., and Kuznetsov, V.A.

TITLE: Apparatus for growing single crystals from the
melt under pressure

PERIODICAL: Kristallografiya, v.7, no.2, 1962, 334-336

TEXT: It is difficult to grow crystals of ZnS from the
melt because of the high vapour-pressure of the components.
A closed furnace, with Mo wire heaters, ZrO_2 and sand
insulation, capable of working at above 1800° under a pressure
of 200 atm N_2 , is described. Crystals of ZnS up to 3 cm long
were grown. There are 3 figures.

ASSOCIATION: Institut kristallografii AN SSSR
(Institute of Crystallography, AS USSR)

SUBMITTED: June 26, 1961

Card 1/1

SHTERNBERG, A.A.

State of water in supercritical regions as related to the problems
of subsurface mineralization. Geol.rud.mestorozh. no.5:13-19
S-0 '62. (MIRA 15:12)

1. Institut kristallografii AN SSSR, Moskva.
(Water, Underground)

SHTERNBERG, A.A.; KUZNETSOV, V.A.

Crystallization of corundum from the gaseous phase using seed
crystals. Kristallografiia 9 no.1:121-123 Ja-F '64.
(MIRA 17:3)

1. Institut kristallografi AN SSSR.

SHTERNBERG, A.I.

Use of dry aminokrovin in chronic dysentery. Akt.vop.perel.krovi
no.7:320-322 '59. (MIRA 13:1)

1. Sverdlovskaya stantsiya perelivaniya krovi.
(BLOOD PLASMA SUBSTITUTES) (DYSENTERY)

SHTERNBERG, A.I.

Possibility of treating small children with a solution of dry amino-krovin by injection. Akt.vop.perel.krovi no.7:322-324 '59. (MIRA 13:1)

1. Sverdlovskaya stantsiya perelivaniya krovi.
(BLOOD PLASMA SUBSTITUTES)

SHTERNBERG, A.I.

Further improvement in the method for preparing dried aminokrovin
in blood transfusion centers and results of its clinical use.
Probl. gemat. i perel. krovi 5 no. 9:49-52 '60. (MIRA 14:1)
(BLOOD PLASMA SUBSTITUTES)

SHTERNBERG, A. L.

SHTERNBERG, A. L. -- "Coronary Disease Based on Material from the Kislovodsk Spa." Published by "Sovetskiy Kuban'". Min Health RSFSR. Kurban' State imeni Red Army Medical Inst. Krasnodar, 1955. (Dissertation for the Degree of Candidate in Medical Sciences).

So.: Knizhnaya Letopis', No. 2, 1956.

SHTERNBERG, A.L., kand.med.nauk; SHABAN, I.V.

Diagnostic problems in aortic stenosis. Kardiologiya 2 no.5:38-
42 S-O '62. (MIRA 15:12)

1. Iz klinicheskogo sanatoriya imeni V.I.Lenina i kafedry
terapii i bol'neologii (zav. - prof. V.Ye.Nezlin) Tsentral'-
nogo instituta usovershenstvovaniya vrachey na Kavkazskikh
Mineral'nykh Vodakh.

(AORTIC VALVE---DISEASES) (HEART---SOUNDS)

CA
SHTERNBERG, A. M.

Desulfurizing cast iron. L. I. Serchbrier and A. M. Shternberg. Russ. 38,058, Sept. 30, 1934. Into the molten metal are introduced about 0.5% moist NaCl, 0.02% ferro-silicon contg 85% Si, and 0.05% ground wood charcoal.

COMMON ELEMENTS																																																																															
1ST AND 2ND ORDERS																																																																															
PROCESSES AND PROPERTIES INDEX																																																																															
<p>SHTERNBERG, A.M.</p> <p><i>Ca</i></p> <p><i>9</i></p> <p>Preparation of low-carbon cast iron from the cupola. A. M. Shternberg. <i>Litmetoe Delo</i> 1940, No. 8-9, 3 ti. - Density of coke especially when it is low in ash is one of the chief factors favoring the carburizing of the charge. In order to reduce the carburizing of the charge the slags should have a low q. To dil. the slag and improve the cast- ing properties of the metal it is advantageous to add to the charge 0.3-0.5% (by wt. of metal) of rock salt. B. Z. Kamich</p>																																																																															
ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION																																																																															
<table border="1"> <tr> <td>GROUPS</td> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td> </tr> <tr> <td>ALPHABETICALLY</td> <td>A</td><td>B</td><td>C</td><td>D</td><td>E</td><td>F</td><td>G</td><td>H</td><td>I</td><td>J</td><td>K</td><td>L</td><td>M</td><td>N</td><td>O</td><td>P</td><td>Q</td><td>R</td><td>S</td><td>T</td><td>U</td><td>V</td><td>W</td><td>X</td><td>Y</td><td>Z</td> </tr> </table>																										GROUPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	ALPHABETICALLY	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
GROUPS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26																																																					
ALPHABETICALLY	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z																																																					

MITCHELL, A. E.

Defended his Dissertation for Candidate of Technical Sciences in the Central Scientific Institute for Heavy Machine Construction, Moscow, 1953

Dissertation: "Method of Accelerated Annealing of White and Chilled Cast Irons in a Liquid Medium"

SO: Referativnyy Zhurnal Khimii, No. 1, Oct. 1953 (W/29955, 26 Apr 54)

SHTERNBERG, A.M.

18 18
Rapid annealing of white and chilled cast irons with improvement of their strength and special properties. A.M. Shternberg. *Kovki Chugun* (Moscow: Gosudarst. Nauch.-Tekh. Izdatel. Mashinostroitel. Lit.) Sbornik 1955, 340-57; *Referat. Zhur. Met.* 1956, Abstr. No. 8020. White and chilled iron castings were annealed for periods of 5-60 min. at 1030, 1050, 1070, and 1090°. A curve of degree of graphitization vs. temp. is given. Time of heating is a logarithmic function of temp. Liquid annealing media used were NaCl, Al, and bronze. Rates of graphitization decreased in the order Al, bronze, NaCl, gaseous medium. The first stage of graphitization on annealing in a liquid medium continues 1.5-2.0 hrs., and produces pearlitic ductile cast iron with tensile strength of 45-55 kg./sq. mm. and elongation of 4-8%. This method insures elimination of chilled iron from the surface of castings in 5-10 min., and increases their abrasion resistance and strength. Annealing of cast iron in a liquid medium is much faster than in a gaseous medium, and the total cost is little more than 1/3 as much. A. N. Pestoff

Distr: 4E2c/4F1

4
2

128 848

SOV/136-59-11-13/26

AUTHORS: Edel'man, A.S., Candidate of Technical Sciences, and
Shternberg, A.V.

TITLE: Extrusion of Thin-Walled Aluminium Sheaths

PERIODICAL: Tsvetnyye metally, 1959, Nr 11, pp 61-64 (USSR)

ABSTRACT: Thin aluminium sheaths might find application in coaxial cables as external conductors and in symmetrical connecting cables as screens, replacing the copper tubes and strips used nowadays. Such a substitution would considerably facilitate the manufacture of cables and bring about great economy in copper. Their many years experience in covering cables with lead and their experience in the extrusion of half-finished aluminium articles led the authors to assume that the solution of the problem of manufacturing bi-metallic conductors of small diameter and thin-walled sheath is to be sought in the field of extrusion. This method has been used in the laboratory by Akulichev (Ref.3). He made bi-metallic conductors with aluminium sheaths of between 2 and 12 mm diameter and 0.40 to 1.0 mm wall thickness. However, Akulichev's method of extrusion and his plant require further development before they can be applied on an

Card 1/3

SOV/136-59-11-13/26

Extrusion of Thin-Walled Aluminium Sheaths

industrial scale. The authors have paid particular attention to the construction of the extrusion press and the relationship between mandrel and die; the extrusion process as used in the normal cable presses has been retained practically unaltered. Fig.1 shows such an instrument for the extrusion of thin-walled aluminium sheaths. In order to exclude the influence of the extrusion procedure and other factors on the formation process and quality of the sheaths, the instrument was checked during the extrusion of aluminium tubes by the inverse flow method in a device adapted to the "Amsler" machine. The results of measurements of extruded tubes of between 4 and 8 m length are shown in Table 1. The extruded tubes were tested to fracture by internal pressure. The magnitude of the latter measured at the moment of fracture of the tube, was converted to σ_{TS} in tension and this was found to be 8.0 to 8.5 kg/mm². The percentage elongation was found to be 30 to 35%. The subsequent tests with the extrusion instrument were carried out in a special head (Fig.2) made for the extrusion of aluminium sheaths for conductors of various

Card 2/3

✓

SOV/136-59-11-13/26

Extrusion of Thin-Walled Aluminium Sheaths

materials. Tubes were extruded and bare copper conductors, as well as cables insulated with fibre, were sheathed. The rate of metal flow in the extrusion of tubes was 25 to 30 m/min, and in sheathing 5 to 15 m/min at a pressure of 60 to 70 kg/mm². The sheath dimensions obtained are shown in Table 2. The sheath wall thicknesses along the length of conductors are shown in Fig.3. There are 3 figures, 2 tables and 7 references, of which 6 are Soviet and 1 English.

Card 3/3

SHTERNBERG, ABRAM YAKOVLEVICH,
SHTERNBERG, Abram Yakovlevich, 1873-1927.

[Study of the role of the nervous system in the pathogenesis and therapy of tuberculosis] K izucheniiu roli nervnoi sistemy v patogeneze i lechenii tuberkuleza. Moskva, Medgiz, 1954- (MLRA 8:3)
(Tuberculosis) (Nervous system)

1. SHTERNBERG, D. B.
2. USSR (600)
4. Heart—Infarction
7. Diagnosis of infarction of the interventricular septum. Klin. med. 30 no. 11 1952.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

patomberg, D.B.
NOLLE, I.Ya., kand.med.nauk; SHTERNBERG, D.B., kand.med.nauk

Candidomycosis of the internal organs. Sov.med. 22 no.3:92-99
Mr '58. (MIRA 11:4)

1. Iz patologoanatomicheskogo otdeleniya (zav. - prof. Ye.Ya. Gertsenberg) 6-y Gorodskoy klinicheskoy bol'nitsy (glavnyy vrach N.S.Shevyakov) Moskvu.

(MONILLIASIS, etiol. & pathogen.

internal organs, caused by antibiotic ther. (Rus))

(ANTIBIOTICS, inj. eff.

monilliasis of internal organs (Rus))

SHTERNBERG, E.

"Psychiatry. A textbook for students and physicians" by K.Kolle.
Reviewed by E.Shternberg. Zhur.nevr.i psikh. 61 no.10:1578-1583
'61. (MIRA 15:11)

(PSYCHIATRY)

(KOLLE, K.)

PROCESSES AND PROPERTIES INDEX

Synthetic chemotherapeutic compounds. IV. Quinoline and acridine antimalarials. I. L. Krichevskii, E. Ya. Shernberg, and E. P. Hal'perin. *J. Microbiol., Epidemiol., Immunobiol.* (U. S. S. R.) 14, 642-54 (in German 651-4) (1935); cf. C. A. 28, 5532². -The chemotherapeutic index (ratio of non-curative to min. lethal dose, c/t) was detd. for numerous quinoline and acridine derivs. The c/t values for 6-methoxy-8- β -(diethylamino)ethylaminoquinoline, and the Pr, Bu, Am, hexyl, heptyl, nonyl and undecyl analogs were found to be 0, 20.0, 10.0, 25, 13.3, 33.3, 40 and 0, resp. The neg. results in the last case were on *Acanthis lineata*, but with *Spinus spinus* a c/t value of 5 was obtained. The c/t values for 6-methoxy-8- β -(diethylamino)- α -(methyl)ethylaminoquinoline, and Pr, Bu and Am analogs were 2, 25, 40 and 25, resp. The ω -(diethylamino)- ω -(methyl)- n -decyl analog had a c/t of 0, as did 2-methyl-6-methoxy-4- γ -(diethylamino)-propylaminoquinoline and 2-methyl-6-methoxy-4- γ -(diethylamino)- β -(hydroxy)propylaminoquinoline. The c/t values for 2-methoxy-6-chloro-9- γ -(diethylamino)- n -propylacridine, 2 HCl, the 2-ethoxy and the 2-methyl analogs were 15, 7.5 and 6, resp. 2,3-Dimethoxy-6-chloro-9- γ -(diethylamino)- n -propylacridine, 2 HCl had a c/t of 0. 2-Methoxy-7-nitro-9- γ -(diethylamino)- n -propylacridine, 2 HCl and the 7-chloro analog had values of 2.5 and 2, resp. For 2-methoxy-6-chloro-9- α -(diethylamino)- n -butylacridine, 2 HCl, c/t was 20, and for the 2-ethoxy

analog, 7.5. For 2-methoxy-6-chloro-9- α -(diethylamino)- n -amylacridine, 2 HCl, c/t was 0, for 2,3-dimethoxy-6-chloro-9- α -(methyl)-4-(diethylamino)- n -butylacridine, 2 HCl, 0, for 2-methoxy-6-chloro-9- α -(methyl)- γ -(diethylamino)- n -propylacridine, 2 HCl, 0.6, for 2-methoxy-7-chloro-9- α -(methyl)-4-(diethylamino)- n -butylacridine, 2 HCl, 2, and for 2-methoxy-7-nitro-9- α -(hydroxy)- γ -(diethylamino)- n -propylacridine, 2 HCl, 1.0. The suitability of *Spinus spinus*, *Acanthis lineata* and *Serinus canarius* for the detn. of c/t is in the order given.

S. A. Kariala

1ST AND 2ND ORDERS																										3RD AND 4TH ORDERS																									
PROCESSING AND PROPERTIES INDEX																																																			
<p>114</p> <p>THE PHENOMENON OF POTENTIATION IN CHEMOTHERAPY. I.</p> <p>I. I. Krichovskii and E. Ya. Shlezberg. <i>Z. Mikrobiol. Epidemiol. Immuninfekt.</i> (U. S. S. R.) 18, 109-112 (1967). (in German 241-245 (1967)). Trypan Blue (I) and Pyrolo Blue (II) have no curative action on <i>Plasmodium parvum</i> (III) in birds (<i>Sturnus vulgaris</i>). However, when the birds are treated 7 days after infection with III with 1:10,000 plasmocin (IV) which in these doses is inactive toward III, plus 1:600 of I or 1:200 of II, a strong therapeutic effect is observed. If the injections are made 3 days after infection with III, only 1:50,000 of IV is necessary. This activating effect of I and II is called "the phenomenon of potentiation." II also has a strong activating effect on quinoline-6 (diacetyl-8-(diethylamino)ethylaminospiroline) which alone has no effect on III. II has no effect on quinine or atabrine (mepacrine).</p> <p>G. A. Karada</p>																																																			
<p>ASB 514 METALLURGICAL LITERATURE CLASSIFICATION</p>																																																			

SHTERNBERG, E.Ya.

Disintegration of speech in Pick's disease [with summary in French].
Zhur.nevr.i psikh.57 no.4:514-523 '57. (MLRA 10:7)

1. Moskvoskaya oblastnaya psikhonevrologicheskaya bol'nitsa No.4.
(PSYCHOSES, PRESENILE, manifestations,
Pick dis., speech disord. (Rus))
(SPEECH, DISORDERS, etiology and pathogenesis,
Pick dis. of brain (Rus))

СПИСОК ЛИТЕРАТУРЫ

Микроцефалия, лечение, терапия.

Effect of occupational therapy on the development of microcephaly
(with therapy in French). Zhur.nevr. i psikh. 57 no.7:897-903 '57.
(MLQA 10:9)

1. Микроцефалия, лечение, терапия,
(MICROCEPHALY, therapy,
occup. ther. (Rus))
(OCCUPATIONAL THERAPY, in various diseases,
microcephaly (Rus))

SHTERNBERG, E. Ya., Cand Med Sci -- (diss) "^{Disruption}Disintegration of speech
in Pick's disease." Mos, 1958. 18 pp (Min of Health USSR, Central
Inst for Advanced Training of Physicians), 200 copies (KL, 17-58, 112)

- 96 -

SHTERNBERG, E.Ya., Doc Med Sci —(diss) "Deterioration of speech in
Pick's disease." Mos, 1958. 20 pp (Min of Health USSR. Central Inst
for the Advanced Training of Physicians), 100 copies (K1,45-8, 151)

-132-

SHTERNBERG, E.Ya.

Psychotic disturbances in demented epileptics. Vop. psikh. no. 3:310-
318 '59. (MIRA 13:10)
(EPILEPTICS) (MENTAL ILLNESS)

SHTERNBERG, E.Ya. (Moskva)

Case of word deafness with verbal hallucinosis. Zhur. nevr. i psikh.
59 no.1:61-67 '59. (MIRA 12:3)

(HEARING DISORDERS, case reports,
word deafness with verbal hallucinosis (Rus))
(SPEECH DISORDERS, case reports,
same)
(HALLUCINATIONS, case reports,
same)

SHTERNBERG, E.Ya. (Moskva)

Review of works dedicated to the International Mental Health Day.
Zhur.nev. i psikh. 59 no.6:748-752 '59. (MIRA 13:1)
(MENTAL HYGIENE,
review of works on Internat. Day of Ment. Health
(Rus))

SHTERNBERG, E.Ya.; SHUMSKIY, N.G.

Various forms of depression in old age. Zhur.nevr.i psikh. 59 no.11:
1291-1298 '59. (MIRA 13:3)

1. Institut psikhiatrii (dir. - prof. D.D. Fedotov) AMN SSSR, Moskva.
(DEPRESSION in old age)

SHTERNBERG, E. Ya.

SHTERNBERG, E. Ya. (Moskva)

Review of data of the World Health Organization (WHO) on problems
in gerontological psychiatry. Zhur.nevr. i psikh. 59 no.11:1390-
1401 '59. (MIRA 13:3)

(PSYCHIATRY)
(GERIATRICS)

SHTERNBERG, E.Ya.

Work therapy for severe oligophrenics of adolescent age. Vop. psikh.
no.4:241-247 '60. (MIRA 15:2)
(OCCUPATIONAL THERAPY) (MENTAL DEFICIENCY)